

Milagro Search for VHE Emission from GRBs in the Swift Era

P. M. SAZ PARKINSON⁽¹⁾ FOR THE MILAGRO COLLABORATION

⁽¹⁾ *Santa Cruz Institute for Particle Physics, U.C.S.C., 1156 High Street, Santa Cruz, CA 95064*

Summary. — Since its launch, in late 2004, Swift has been locating gamma-ray bursts (GRBs) at a rate of ~ 100 per year. Very high energy (VHE) emission (> 100 GeV) is predicted by several models. Here, we present the results of a search for VHE emission from the most recent GRBs to fall within the Milagro field of view.

PACS 98.70.Rz – gamma-ray sources; gamma-ray bursts.

Milagro is a wide field (2 sr), high duty cycle ($> 90\%$), ground-based water Cherenkov gamma-ray telescope which monitors the northern sky almost continuously from 0.1–100 TeV [1]. At these energies, gamma rays are attenuated by the redshift-dependent extragalactic background light (EBL) [2], making GRBs above $z > 0.5$ very hard to detect. Milagro has been operating (and searching for VHE emission from GRBs) since 2000 [3].

The launch of *Swift* has increased greatly the number of well-localized GRBs. Here we present the results of a search for an excess of events above those due to the background for 39 GRBs detected by several satellites (primarily *Swift*) between December 2004 and May 2006. Table I lists the GRBs in the sample and summarizes the results. The number of events falling within a 1.6 degree bin is summed for the relevant duration (column 2 of Table I) and the number of background events is estimated from two hours of data surrounding the burst, using a technique known as “direct integration” [4]. No significant emission was detected from any of the locations. We present upper limits on the fluence in column 7 of Table I. For those bursts with known redshift, we compute the effect of EBL absorption, according to the model of ref. [2] and print the upper limits in bold.

* * *

We have used GCN Notices to select raw data for archiving and use in this search, and we are grateful for the hard work of the GCN team, especially Scott Barthelmy. We acknowledge Scott Delay and Michael Schneider for their dedicated efforts in the construction and maintenance of the Milagro experiment. This work has been supported by the National Science Foundation, the US Department of Energy (Office of High-Energy Physics and Office of Nuclear Physics), Los Alamos National Laboratory, the University of California, and the Institute of Geophysics and Planetary Physics. I appreciate the support of the American Astronomical Society and the National Science Foundation in

GRB	T90/Dur.	Zenith angle, θ	z	Instrument	σ	99% UL(fluence)
041219a	520	26.9	...	INTEGRAL	+1.7	5.8e-6
050124	4	23.0	...	Swift	-0.8	3.0e-7
050319	15	45.1	3.24	Swift	+0.6	...
050402	8	40.4	...	Swift	+0.6	2.1e-6
050412	26	37.2	...	Swift	-0.6	1.7e-6
050502	20	42.7	3.793	INTEGRAL	+0.6	...
050504	80	27.6	...	INTEGRAL	-0.8	1.3e-6
050505	60	28.9	4.3	Swift	+1.2	...
050509b	0.128	10.0	0.226	Swift	-0.9	1.1e-6
050522	15	22.9	...	INTEGRAL	-0.6	5.1e-7
050607	26.5	29.3	...	Swift	-0.9	8.9e-7
050712	35	38.8	...	Swift	-0.1	2.5e-6
050713b	30	44.2	...	Swift	-0.3	4.0e-6
050715	52	36.9	...	Swift	-1.5	1.7e-6
050716	69	30.3	...	Swift	-0.5	1.6e-6
050820	20	21.9	2.612	Swift	+0.2	...
051103	0.17	49.9	0.001	IPN	-0.2	4.2e-6
051109	36	9.7	2.346	Swift	-1.1	4.3e-3
051111	20	43.7	1.55	Swift	+0.7	3.8e-2
051211b	80	33.3	...	INTEGRAL	+0.4	2.6e-6
051221	1.4	41.8	0.55	Swift	+0.6	9.8e-4
051221b	61	25.9	...	Swift	+1.5	1.8e-6
060102	20	39.9	...	Swift	-0.9	2.0e-6
060109	10	22.4	...	Swift	-1.3	4.1e-7
060110	15	43.0	...	Swift	-0.3	3.0e-6
060111b	59	36.5	...	Swift	-0.6	2.3e-6
060114	100	40.6	...	INTEGRAL	+0.5	5.1e-6
060204b	134	30.5	...	Swift	+0.3	2.7e-6
060210	5	43.4	3.91	Swift	+0.6	2.9e-6
060218*	10	44.6	0.03	Swift	+2.4	3.8e-5
060306	30	46.2	...	Swift	+1.0	7.2e-6
060312	30	43.6	...	Swift	-1.0	3.3e-6
060313	0.7	46.7	...	Swift	-0.5	2.7e-6
060403	25	27.6	...	Swift	-0.1	1.0e-6
060427b	0.2	16.4	...	IPN	+0.6	1.7e-7
060428b	58	26.6	...	Swift	-1.1	1.1e-6
060507	185	47.1	...	Swift	+0.4	1.6e-5
060510b	300	42.8	4.9	Swift	+1.9	...
060515	52	41.5	...	Swift	-0.3	9.6e-6

TABLE I. – *List of GRB in the field of view of Milagro in the Swift Era (December 2004 – May 2006), with preliminary 99% confidence upper limits on the fluence (0.2–20 TeV), in ergs cm^{-2} . * This burst, due to its long duration of more than 2000 s left Milagro's field of view while in progress. The limit presented here is for the 10 s hard spike reported by the instrument team.*

the form of an International Travel Grant, which enabled me to attend this conference. I am also grateful to the conference organizers for their financial support.

REFERENCES

- [1] ATKINS, R. ET AL., *Nucl. Instrum. Meth. A*, **449** (478) 2000
- [2] PRIMACK, J. R. ET AL. 2005, *Gamma 2004, AIP Conference Proceedings*, **745** (23-33)
- [3] ATKINS, R., ET AL., *ApJ*, **630** (996) 2005
- [4] ATKINS, R. ET AL., *ApJ*, **595** (803) 2003